

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERC United States Patent and Trademark, Office Addess COMMISSIONER FOR PATENTS FO Bes 160 Ministra Verman 22311-1459

APPLICATION NO.		ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
19/073,409 02/11/2000		02/11/2002	Raffiele Bechenges	AX/121	3983
1473	7590	66/02/2004		EXAM	INER
FISH & N	EAVE			LAZOR, M	CHELLE A
1251 AVEN	UE OF T	HE AMERICAS			PAPER NUMBER
50TH FLOO				ART UNIT	PAPER NUMBER

DATE MAILED: 06/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	W.
Office Action Summary		10/073,400	BECHERUCCI ET AL	91
		Examiner	Art Unit	
		Michelle A Lazor	1734	
	 The MAILING DATE of this communication or Reply 	appears on the cover sheet v	with the correspondence address	
THE - Extension - If the - If NO - Fails	ORTENED STATUTORY PERIOD FOR RI MAILING DATE OF THIS COMMUNICATE Control to time may be available under the provisions of 37 Cf 50 K; §§ MONTES from the mailing date of this communication period for retry bageofield above in less than their (50 dipen- pends for retry bageofield above, the maximum satisfacty pre- er or reply vite time best or extended priod for reply with, 91 ers or reply vite time best or extended priod for reply with, 91 reply recovered by the Office lister than three months after the 4d potent term solitoners. See 37 CFR 1.70(b).	DN. IR 1,136(a). In so event, however, may a n. a reply within the statutory minimum of the ericd will apply and will expire SIX (6) MC adults, earling the scale carrier to become A	repty be timely filed inty (30) days will be considered timely. NTHS from the melting date of this communical BANDONEO (35 U.S.C. 4 133).	dion.
tus				
1)🛛	Responsive to communication(s) filed on 2	24 May 2004.		
		This action is non-final.		
3)	Since this application is in condition for all			is
	closed in accordance with the practice und	der Ex parte Quayle, 1935 C.	D. 11, 453 O.G. 213.	
posit	ion of Claims			
4)🗵	Claim(s) 1-4,6-23 and 25-31 is/are pendin	g in the application.		
	4a) Of the above claim(s) 26-31 is/are with	ndrawn from consideration.		
5)[Claim(s) is/are allowed.			
6)🖂	Claim(s) 1-4,6-23,25 and 26 is/are rejecte	d.		

Disposition of Claims				
	Claim(s) 1-4.6-23 and 25-31 is/are pending in the application.			
	 Of the above claim(s) <u>26-31</u> is/are withdrawn from consideration. 			
5) 🗆	Claim(s) is/are allowed.			
6) 🖂	Claim(s) 1-4,6-23,25 and 26 is/are rejected.			

- 7) Claim(s) _____ is/are objected to.
- Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

Pe

St

- 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:
 - 1 Certified copies of the priority documents have been received.
 - 2 Certified copies of the priority documents have been received in Application No. _____.
 - 3. Copies of the certified copies of the priority documents have been received in this National Stage
 - application from the International Bureau (PCT Rule 17.2(a)).
 - * See the attached detailed Office action for a list of the certified copies not received.

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date

_
4) Interview Summary (PTO-413)
Paper No(s)/Mail Date
5) Notice of Informal Patent Application (PTO-15
6) Cither

Attachment(s)

DETAILED ACTION

Claim Rejections - 35 USC 8 102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

 Claims 1 – 4, 6 – 10, 17, 21 – 23, and 26 are rejected under 35 U.S.C. 102(b) as being anticipated by Swain et al. (U.S. Patent No. 5433572).

Regarding Claims 1 – 4 and 21 – 23, Swain et al. disclose a workstation wherein at least one of said units is of a first type comprising a cabinet for providing a controlled ambient during the performance of a step of said process (Figure 5); and a rotating vertical support structure (column 10, lines 4 – 37) disposed in said cabinet, said support structure having a plurality of fixtures disposed in an annular region thereon, wherein said fixture comprises a structure for receiving said components therein along a path substantially perpendicular to the face of said rotating vertical support structure and comprising open structures configured to allow air to circulate through the fixtures to expose substantial surface portions of said held components to said controlled ambient (Figure 1; column 5, lines 51 – 68), wherein said cabinet further comprises an annular compartment having said controlled ambient (Figures 2, 3, and 5), and wherein said the temperature of said controlled ambient is controlled by flow of heated air through said cabinet (column 14, lines 23 – 43). Thus Swain et al. disclose all the limitations of Claims 1 – 4 and 21 – 23, and anticipate the claimed invention.

invention

Regarding Claims 6 – 10, Swain et al. disclose a control unit (column 7 line 54 – column 8, line 17) to control rotation of said vertical support structure, wherein the rotation of said vertical support structure, wherein the rotation of said vertical support structure is capable of being intermittent with alternating periods of rotation and periods of pause, and wherein at least one of said fixtures is aligned with a predetermined position during said periods of pause; wherein the angle of rotation during a said period of rotation is capable of being less than about ½ radian; wherein said predetermined position corresponds to a position for loading and unloading components from said aligned fixture (column 10, lines 4 – 37); and wherein said plurality of units are disposed adjacent each other (Figure 5), said workstation further comprising movable transfer devices disposed adjacent each other plurality of units, wherein said movable transfer devices are capable of motion in linear spatial dimensions (column 13, lines 39 – 48 and column 4, line 48 – column 5, line 50). Thus Swain et al. disclose all the limitations of Claims 6 – 10, and anticipate the claimed invention.

Regarding Claim 17, Swain et al. disclose one of said plurality of units heats said components to cure the resin applied to said components (column 14, lines 23 – 43). Thus Swain et al. disclose all the limitations of Claim 17, and anticipate the claimed invention.

Regarding Claim 26, Swain et al. disclose said cabinet further comprises a compartment for cooling said components after the performance of said process step (column 14, lines 23 – 43). Thus Swain et al. disclose all the limitations of Claim 26, and anticipate the claimed

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclored or described as set forth in section 10.0 of this tide, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was raised to a person having ordinary skill in the art to which said subject matter pertains. Patentalcilly shall not be negatived by the manner in which the invention was made.

 Claims 1 – 3, 6, 17, 21, 22, 25, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jenkins (U.S. Patent No. 4730575) in view of Swain et al..

Regarding Claims 1 - 3, 21, 22 and 25, Jenkins discloses a workstation wherein at least one of said units is of a first type comprising a cabinet for providing a controlled ambient during the performance of a step of said process (Figures 1 & 2); and a rotating vertical support structure disposed in said cabinet, said support structure having a plurality of fixtures disposed in an annular region thereon, wherein a said fixture comprises a structure for receiving said components therein along a path substantially perpendicular to the face of said rotating vertical support structure, wherein said cabinet further comprises an annular compartment having said controlled ambient (Figure 5B); and wherein said held components travel through said annular compartment as said vertical support structure rotates during the performance of said process. sten: (column 3, line 36 - 52); but do not disclose said fixtures comprising open structures configured to allow air to circulate through the fixtures to expose substantial surface portions of said held components to said controlled ambient. However, Swain et al. disclose comprising onen structures configured to allow air to circulate through the fixtures to expose substantial surface portions of said held components to said controlled ambient (Figure 1; column 5, lines 51 - 68). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use fixtures as described above as an alternative design for securing a substrate.

Regarding Claims 6, 17, and 26, Jenkins discloses a control unit or known means capable of controlling rotation of said vertical support structure (column 3, lines 36 – 39); a unit which

heats said components to cure the resin applied to said components (column 3, line 21 – 52); and a compartment for cooling said components after the performance of said process step (Figure 5B; column 3, lines 52 – 56)

Claims 1 - 4, 6 - 9, 11 - 14, 17, 21 - 23, 25, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hammond et al. (U.S. Patent No. 5090350), in view of Swain et al.

Regarding Claims 1 - 4, 21 - 23, and 25, Hammond et al. disclose a workstation wherein at least one of said units is of a first type comprising a cabinet for providing a controlled ambient during the performance of a step of said process (400); and a rotating vertical support structure (about a vertical axis, V) disposed in said cabinet, said support structure having a plurality of fixtures disposed in an annular region thereon, wherein a said fixture comprises a structure for receiving said components therein along a path substantially perpendicular to the face of said rotating vertical support structure, wherein said cabinet further comprises an annular compartment having said controlled ambient (Figures 1, 3, and 7A), and wherein said held components travel through said annular compartment as said vertical support structure rotates during the performance of said process step; and wherein said the temperature of said controlled ambient is controlled by flow of heated air through said cabinet (column 9, line 43 - column 10. line 37); but do not disclose said fixtures comprising open structures configured to allow air to circulate through the fixtures to expose substantial surface portions of said held components to said controlled ambient. However, Swain et al. disclose comprising open structures configured to allow air to circulate through the fixtures to expose substantial surface portions of said held components to said controlled ambient (Figure 1; column 5, lines 51 - 68). Therefore it would

have been obvious to one of ordinary skill in the art at the time of the invention to use fixtures as described above as an alternative design for securing a substrate.

Regarding Claims 6 – 9, Hammond et al. disclose a control unit to control rotation of said vertical support structure, wherein the rotation of said vertical support structure is intermittent with alternating periods of rotation and periods of pause, and wherein at least one of said fixtures is aligned with a predetermined position during said periods of pause; wherein the angle of rotation during a said period of rotation is capable of being less than about ½ radian; and wherein said predetermined position corresponds to a position for loading and unloading components from said aligned fixture (column 3, line 65 – column 4, line 13).

Regarding Claims 11 – 14, Hammond et al. disclose a first one of said plurality of units is capable of preheating said components (column 5, line 47 - column 6, line 19), wherein a second one of said plurality of units is capable of applying resin to said components; wherein said second one of said plurality of units is a unit of said first type; wherein a multiplicity of said fixtures in said second one of said plurality of units are aligned with a multiplicity of resin-receiving positions, and wherein at said resin-receiving positions resin is applied to components loaded in said aligned fixtures (Figures 1, 5A and 5B).

Regarding Claim 17, Hammond et al. disclose one of said plurality of units heats said components to cure the resin applied to said components (column 9, lines 43 – 60).

Regarding Claim 26, Hammond et al. disclose said cabinet further comprises a compartment for cooling said components after the performance of said process step (column 10, lines 18 – 27). Thus Hammond et al. disclose all the limitations of Claim 26, and anticipate the claimed invention.

 Claims 11 – 14, 18, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Swain et al. as applied in Claim 1 above, in view of Hammond et al.

Regarding Claims 11 – 14 and 18, Swain et al. disclose all the limitations of Claim 1, including a unit which applies resin to said components (column 14, lines 5 – 22), wherein said second one of said plurality of units is a unit of said first type (Figure 5); wherein a multiplicity of said fixtures in said second one of said plurality of units are aligned with a multiplicity of reain-receiving positions, and wherein at said resin-receiving positions resin is applied to components loaded in said aligned fixtures (Figure 5; column 10, lines 4 – 37); a resin-curing unit (column 14, lines 23 – 43); movable transfer devices disposed alongside said plurality of units (column 13, lines 39 – 48 and column 4, line 48 – column 5, line 50); and a control unit (column 7, line 54 – column 8, line 17), but does not disclose a unit capable of preheating said components. However, Hammond et al. disclose a unit capable of preheating said components (column 6, line 47 – column 6, line 19). Therefore it would have been obvious to one of ordinary sail in the art at the time of the invention to preheat the substrates to equilibrate the substrates to the required process temperature to counteract evaporative cooling (column 6, lines 9 – 19).

Regarding Claim 19, the control unit disclosed by Swain et al. is considered capable of synchronizing the intermittent rotation of said vertical support structures such that the periods of pause in said preheating unit, in said resin application unit, and in said resin curing unit occur substantially simultaneously such that said vertical support structures are stationary at substantially a same time interval (column 5, line 47 - column 6, line 19). Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Swain et al. and Hammond et al. as applied in Claim 13 above, in view of Toussaint et al. (U.S. Patent No. 3619240) and Allen et al. (U.S. Patent No. 3901180).

Swain et al. and Hammond et al. disclose all the limitations of Claim 13, but do not disclose said plurality of units to further comprise vertically movable resin-bearing trays that are disposed vertically below said resin-receiving positions. However, Toussaint et al. disclose using either immersion or an atomizer to coat a substance on a substrate (column 3, line 73 — column 4, line 3), and Allen et al. disclose a tank which can be raised vertically to coat substrates (Abstract). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use immersion means to coat a substance on a substrate as an alternative to an atomizer, and it would have been obvious to use a tank which can be raised vertically to facilitate coatine of the substrates.

Allowable Subject Matter

 Claims 15 and 21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims, as discussed in the Office Action sent 10/27/03.

Response to Arguments

9. Applicant's arguments with respect to claims 1 and 21 have been considered but are moot in view of the new ground(s) of rejection. Swain et al. disclose fixtures comprising open structures which allow air to circulate through the fixtures while also exposing substantial surface portions of said held components to said controlled ambient (Figure 1), as discussed above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michelle A Lazor whose telephone number is \$71-272-1232.

The examiner can normally be reached on Mon - Wed 6:30 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on 571-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent
Application Information Retrieval (PAIR) system. Status information for published applications
may be obtained from either Private PAIR or Public PAIR. Status information for unpublished
applications is available through Private PAIR only. For more information about the PAIR
system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR
system, contact the Electronic Business Center (EBC) at 866-217-9197 (toil-free).

Mulli Haveds Z MAL

> RICHARD CRISPINO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700